

## MY SONIC LAB

### SIGNATURE PLATINUM



Format: Ultra low impedance type MC cartridge  
 Frequency range: 10 to 50,000 Hz  
 Output voltage: 0.5 mV (1 kHz)  
 Internal impedance: 1.4  $\Omega$   
 Appropriate stylus pressure: 1.9 to 2.2 g (2 g center)  
 Cantilever: Boron cantilever  
 Semi-line contact (3  $\mu\text{m}$   $\times$  30  $\mu\text{m}$ )  
 Channel balance: Within 0.5 dB (1 kHz)  
 Crosstalk: Within 30 dB (1 kHz)  
 Core material: SH -  $\mu\text{X}$  (My Sonic Lab)  
 Magnet: Neodymium # 50  
 Cartridge base: Titanium (black - IP processing)  
 Housing: A 5056 (Rhodium plated processing)  
 Terminal pin: brilliant rhodium plating treatment  
 Weight: about 13 g  
 Release date: November 2015  
 COMPILANCE :10

**8.000€**

### SIGNATURE GOLD



Format: Ultra low impedance type MC cartridge  
 Frequency range: 10 to 50,000 Hz  
 Output voltage: 0.5 mV (1 kHz)  
 Internal impedance: 1.4  $\Omega$   
 Appropriate stylus pressure: 1.9 to 2.2 g (2 g center)  
 Cantilever: Boron cantilever  
 Semi-line contact (3  $\mu\text{m}$   $\times$  30  $\mu\text{m}$ )  
 Channel balance: Within 0.5 dB (1 kHz)  
 Crosstalk: Within 30 dB (1 kHz)  
 Core material: SH -  $\mu\text{X}$  (My Sonic Lab)  
 Magnet: Neodymium # 50  
 Cartridge base: Titanium (black - IP processing)  
 Housing: A 5056 (Rhodium plated processing)  
 Terminal pin: brilliant rhodium plating treatment  
 Weight: about 13 g  
 Release date: November 2015  
 COMPILANCE :10

**7.600€**

### ULTRA EMINENT EX



Type: Ultra-low impedance MC cartridge  
 Frequency response: 10 ? 50,000Hz  
 Output voltage: 0.3mV/1kHz  
 Inner impedance: 0.6 ohms (DCR)  
 Magnet: Neodymium #50  
 Stylus pressure: 1.9 ? 2.2g  
 Channel balance: within 0.5dB (1kHz)  
 Crosstalk: more than 30dB (1kHz)  
 Weight: 9.5g

**7.400€**



# My Sonic Lab



## HYPER EMINENT

Type: Ultra-low impedance MC cartridge

Frequency response: 10 ? 50,000Hz

Output voltage: 0.5mV/1kHz

Inner impedance: 0.6 ohms (DCR)

Magnet: Neodymium #50

Stylus pressure: 1.9 ? 2.2g

Channel balance: within 0.5dB (1kHz)

Crosstalk: more than 30dB (1kHz)

Weight: 9.5g

**5.390€**



## EMINENT EX

Type: Ultra-low impedance MC cartridge

Frequency response: 10 ? 50,000Hz

Output voltage: 0.4mV/1kHz

Inner impedance: 0.6 ohms (DCR)

Magnet: Neodymium #50

Stylus pressure: 1.9 ? 2.2g

Channel balance: within 0.5dB (1kHz)

Crosstalk: more than 30dB (1kHz)

Weight: 9.5g

**4.300€**



## EMINENT SOLO ( MONO )

Output voltage: 0.4mV/1kHz

Inner impedance: 0.6 ohms (DCR)

Magnet: Neodymium #50

Stylus pressure: 1.9 ? 2.2g

**4.600€**



## TRANSFORMADOR STAGE 1030

**4.500€**



**CABEZAL PORTACAPSULAS**

**199€**

**KIT CABLES CAPSULA**

**110€**

**KIT TORNILLOS 29 UNIDADES**

**60€**